



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2025/B/6167363
Dated/दिनांक : 24-04-2025

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	15-05-2025 16:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	15-05-2025 16:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	60 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Information And Broadcasting
Department Name/विभाग का नाम	Ministry Of Information And Broadcasting
Organisation Name/संगठन का नाम	Satyajit Ray Film And Television Institute
Office Name/कार्यालय का नाम	E M Bypass Road Panchasayar Kolkata 700094
क्रैता ईमेल/Buyer Email	pranesh.mondal@gov.in
Total Quantity/कुल मात्रा	1436
Item Category/मद केटेगरी	Cat 6 UTP Cable , Cat 6 24 Port , Cat 6 Information outlet , Face Plate Single , Surface Mount Box , Cat6 UTP Patch Cord , Cat 6 UTP Patch Cord , 1KVA Online UPS , 12U Wall Mount Rack , 25mm PVC Conduit , 6 Port Loaded LIU , SC-LC or LC-LC , Termination of Cat6 , Termination of Cat 6 , Installation of 12U Wall Mount Rack , 6 Core Cable , Installation Charges of 6 Port LIU , Splicing Charges , Penta Scanning Charges
GeMARPTS में खोजी गई स्ट्रिंग / Searched Strings used in GeMARPTS	Cat 6 UTP Cable LSZH, Cat 6 24 Port Jack Panel Loaded, Cat-6 IO System, Face Plate Single, Surface Mount Box, 12U Wall Mount Rack with accessories, 1KVA Online UPS Digital Signal Processor based double conversion , Cat 6 UTP P Cord 1 Mtr, Cat 6 UTP P Cord 2 Mtr, 25mm PVC Conduit with accessories, 6 Port Loaded LIU Single Mode, SC LC or LC LC F.o. Patch Cord Duplex 3 Mtrs Single mode, Cat-6 UTP Cable Laying through PVC Conduit, Penta Scanning , Termination of Cat6 Patch Panel 24 Port, 6 Core FO Cable laying through SHAFT, Installation of 12U Wall Mount Rack, Termination of Cat-6 Information Outlet, Installation Charges of 6 Port LIU, Splicing Charges
	Searched String: Cat 6 UTP Cable LSZH Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL), Cat 6 Patch cord, CAT 6 Cable for Outdoor, Connector Mounting Hardware - Multi Plug, Cat 6 Cable for Indoor Use, CAT 6 Information outlet, XLPE Cable for Working Voltages up to and Including 1.1 KV as per IS 7098 (Part 1), Cat 6 Patch Panel (V2), Cables suitable for CCTV System (Accessories), CAT 6 Field Termination Plug

Bid Details/बिड विवरण	Searched String: Cat 6 24 Port Jack Panel Loaded
<p>GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS</p>	<p>Cat 6 Patch Panel (V2), Labelling Machine, Fiber Optic Patch Panels, Rack Mountable, CAT 6 Cable for Outdoor, Fibre Patch Panel (LIU)</p> <p>Searched String: Cat-6 IO System</p> <p>CAT 6 Information outlet, Cat 6 Patch cord, Cellophane paper, Cat 6 Patch Panel (V2), Cat 6 Cable for Indoor Use, CAT 6 Field Termination Plug, CAT 6 Cable for Outdoor, Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL), Solar Street Lighting System (NTPC), Cables suitable for CCTV System (Accessories)</p> <p>Searched String: Face Plate Single</p> <p>Face Shield, Face Wash, Anatomical Face Masks, Face Masks-Handicraft, Modular Work Stations (V2), Face Shield Cover, Anatomical Face Mask, Single use Rubber Examination Gloves (V2), Sterile Hypodermic Syringe (V3), Target Face - Shooting</p> <p>Searched String: Surface Mount Box</p> <p>Catheter Mount, Electrical Box Extension (V2), Wall Mount Thermometer, Stainless Steel Benches (RDSO Specification), Industrial Tempra Mount Socket, Head Mount Spectacle Magnifier, Digital water level recorder, Surface Resistivity Meter, Surface Profile Gauge, Box File</p> <p>Searched String: 12U Wall Mount Rack with accessories</p> <p>Metallic Mount Suitable for Air Conditioner (Accessories), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Fiber Optic Patch Panels, Rack Mountable, Battery-Powered Electronic Clock, Metal Alloy Casting Water Tap with Aerator (V2), Bathroom Water Shower (V2), Vacuum Contactor, IP Based KVM Switch, Fibre Patch Panel (LIU)</p> <p>Searched String: 1KVA Online UPS Digital Signal Processor based double conversion</p> <p>Online UPS (V2), Audio Digital Signal Processor</p> <p>Searched String: Cat 6 UTP P Cord 1 Mtr</p> <p>Cat 6 Patch cord, Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL), D and C Set, Cables suitable for CCTV System (Accessories), Cat 6 Cable for Indoor Use, Labelling Machine, Cellophane paper, Cat 6 Patch Panel (V2), Connector Mounting Hardware - Multi Plug, Electrical Box Extension (V3)</p> <p>Searched String: Cat 6 UTP P Cord 2 Mtr</p> <p>Cat 6 Patch cord, Cat - 6 UTP Ethernet Cable for Wifi Indoor use (MTNL), Cellophane paper, Cables suitable for CCTV System (Accessories), Cat 6 Cable for Indoor Use, D and C Set, Laboratory Condenser, Cat 6 Patch Panel (V2), Labelling Machine, Connector Mounting Hardware - Multi Plug</p> <p>Searched String: 25mm PVC Conduit with accessories</p> <p>Dental autoclave with accessories, Rigid Bronchoscope with Accessories, Rigid Plain Conduits of Insulating Materials as</p>

<p style="text-align: center;">Bid Details/बिड विवरण</p>	<p>per IS 9537 (Part 3), PVC Wiring Channel With Cover - BHEL, PVC Copper Cable Single Core and Multi Core Circular Sheathed Cable with Rigid Conductor (V2) as per IS 694, Safety Shoes - Leather with PVC Sole, PVC Insulated Unsheathed Cable with Flexible Conductor as per IS 694, PVC Floor Tiles (With Or Without Asbestos) - IS 3461, Speed Breaker (V2), Photo detector Module with Accessories</p> <p>Searched String: 6 Port Loaded LIU Single Mode</p> <p>Fiber Optic Patch Panels, Rack Mountable, Cables suitable for CCTV System (Accessories), ADSS Optical Fibre Cable For laying along Power line alignments</p> <p>Searched String: SC LC or LC LC F.o. Patch Cord Duplex 3 Mtrs Single mode</p> <p>Fiber Optic Patch Cord, Fiber Optic Patch Panels, Rack Mountable</p> <p>Searched String: Cat-6 UTP Cable Laying through PVC Conduit</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Penta Scanning</p> <p>Scanning and Digitisation Service (Version 2)</p> <p>Searched String: Termination of Cat6 Patch Panel 24 Port</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: 6 Core FO Cable laying through SHAFT</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Installation of 12U Wall Mount Rack</p> <p>Design, Supply, Installation, Commissioning and Maintenance of Grid Connected Ground Mounted Solar Power Plant Service</p> <p>Searched String: Termination of Cat-6 Information Outlet</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Installation Charges of 6 Port LIU</p> <p>Category not available on GeM for the text string uploaded by the buyer</p> <p>Searched String: Splicing Charges</p> <p>MPLS Connectivity (Port Charges), Bus Hiring Service - Regular Basis</p>
<p>अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification</p>	<ul style="list-style-type: none"> • LAN Extender
<p>BOQ Title/बीओक्यू शीर्षक</p>	<p>LAN NETWORK</p>

Bid Details/बिड विवरण	
Years of Past Experience Required for same/similar service/उन्हीं/समान सेवाओं के लिए अपेक्षित विगत अनुभव के वर्ष	2 Year (s)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/	Yes
Startup Exemption for Years of Experience and Turnover/ अनुभव के वर्षों से स्टार्टअप छूट	No
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Experience Criteria,Past Performance,Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Do you want to show documents uploaded by bidders to all bidders participated in bid?/	Yes
Past Performance/विगत प्रदर्शन	60 %
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Cat 6 UTP Cable
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
Evaluation Method/मूल्यांकन पद्धति	Total value wise evaluation
Arbitration Clause	No
Mediation Clause	No

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

3. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of

quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

6. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 60% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Cat 6 UTP Cable

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Santanu BasuMullick	700094,Satyajit Ray Film and Television Institute,E.M. Bypass Road P.O-Panchasayar,Kolkata-700094,Monday to Friday 9:30 Am to 6 PM.	3	45

Cat 6 24 Port

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Santanu BasuMullick	700094,Satyajit Ray Film and Television Institute,E.M. Bypass Road P.O-Panchasayar,Kolkata-700094,Monday to Friday 9:30 Am to 6 PM.	1	45

Cat 6 Information Outlet

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Santanu BasuMullick	700094,Satyajit Ray Film and Television Institute,E.M. Bypass Road P.O-Panchasayar,Kolkata-700094,Monday to Friday 9:30 Am to 6 PM.	24	45

Face Plate Single

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Santanu BasuMullick	700094,Satyajit Ray Film and Television Institute,E.M. Bypass Road P.O-Panchasayar,Kolkata-700094,Monday to Friday 9:30 Am to 6 PM.	24	45

Surface Mount Box

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
-----------------------	--	--------------------	-----------------------	-------------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Santanu BasuMullick	700094,Satyajit Ray Film and Television Institute,E.M. Bypass Road P.O-Panchasayar,Kolkata-700094,Monday to Friday 9:30 Am to 6 PM.	24	45

Cat6 UTP Patch Cord

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Santanu BasuMullick	700094,Satyajit Ray Film and Television Institute,E.M. Bypass Road P.O-Panchasayar,Kolkata-700094,Monday to Friday 9:30 Am to 6 PM.	24	45

Cat 6 UTP Patch Cord

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Santanu BasuMullick	700094,Satyajit Ray Film and Television Institute,E.M. Bypass Road P.O-Panchasayar,Kolkata-700094,Monday to Friday 9:30 Am to 6 PM.	24	45

1KVA Online UPS

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Santanu BasuMullick	700094,Satyajit Ray Film and Television Institute,E.M. Bypass Road P.O-Panchasayar,Kolkata-700094,Monday to Friday 9:30 Am to 6 PM.	1	45

12U Wall Mount Rack

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Santanu BasuMullick	700094,Satyajit Ray Film and Television Institute,E.M. Bypass Road P.O-Panchasayar,Kolkata-700094,Monday to Friday 9:30 Am to 6 PM.	1	45

25mm PVC Conduit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Santanu BasuMullick	700094,Satyajit Ray Film and Television Institute,E.M. Bypass Road P.O-Panchasayar,Kolkata-700094,Monday to Friday 9:30 Am to 6 PM.	200	45

6 Port Loaded LIU

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Santanu BasuMullick	700094,Satyajit Ray Film and Television Institute,E.M. Bypass Road P.O-Panchasayar,Kolkata-700094,Monday to Friday 9:30 Am to 6 PM.	2	45

SC-LC Or LC-LC

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Santanu BasuMullick	700094,Satyajit Ray Film and Television Institute,E.M. Bypass Road P.O-Panchasayar,Kolkata-700094,Monday to Friday 9:30 Am to 6 PM.	2	45

Cat 6 UTP Cable

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Santanu BasuMullick	700094,Satyajit Ray Film and Television Institute,E.M. Bypass Road P.O-Panchasayar,Kolkata-700094,Monday to Friday 9:30 Am to 6 PM.	915	45

Termination Of Cat6

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Santanu BasuMullick	700094,Satyajit Ray Film and Television Institute,E.M. Bypass Road P.O-Panchasayar,Kolkata-700094,Monday to Friday 9:30 Am to 6 PM.	1	45

Termination Of Cat 6

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Santanu BasuMullick	700094,Satyajit Ray Film and Television Institute,E.M. Bypass Road P.O-Panchasayar,Kolkata-700094,Monday to Friday 9:30 Am to 6 PM.	24	45

Installation Of 12U Wall Mount Rack

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Santanu BasuMullick	700094,Satyajit Ray Film and Television Institute,E.M. Bypass Road P.O-Panchasayar,Kolkata-700094,Monday to Friday 9:30 Am to 6 PM.	1	45

6 Core Cable

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Santanu BasuMullick	700094,Satyajit Ray Film and Television Institute,E.M. Bypass Road P.O-Panchasayar,Kolkata-700094,Monday to Friday 9:30 Am to 6 PM.	150	45

Installation Charges Of 6 Port LIU

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Santanu BasuMullick	700094,Satyajit Ray Film and Television Institute,E.M. Bypass Road P.O-Panchasayar,Kolkata-700094,Monday to Friday 9:30 Am to 6 PM.	2	45

Splicing Charges

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier

respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Santanu BasuMullick	700094,Satyajit Ray Film and Television Institute,E.M. Bypass Road P.O-Panchasayar,Kolkata-700094,Monday to Friday 9:30 Am to 6 PM.	12	45

Penta Scanning Charges

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Santanu BasuMullick	700094,Satyajit Ray Film and Television Institute,E.M. Bypass Road P.O-Panchasayar,Kolkata-700094,Monday to Friday 9:30 Am to 6 PM.	1	45

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.

10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---